


REVISIONS				APPROVALS		
SYM	DESCRIPTION	BY	DATE	ENGRG	PROD	Q.A.
1	ORIGINAL	BJD	8/14/09			
2	UPDATED BOTTOM SKIN	BJD	1/4/10			
3	SPLIT FRONT AND BACK	BJD	4/20/10			
4	Added bottom skins	BJD	5/4/10			


F
E
D
C
B
A

.234 x .375 SLOT HOLE PREFERRED
(.25 DIA. ALTERNATE METHOD)
8 PLACES




SKIN_BOTTOM_LEFT

.234 x .375 SLOT HOLE PREFERRED
(.25 DIA. ALTERNATE METHOD)
12 PLACES



SKIN_BOTTOM_RIGHT




This work is licensed under a Creative Commons Attribution-NonCommercial-Share Alike 3.0 License

UNLESS OTHERWISE SPECIFIED:	DRAWN	BJD	8/14/09
FRACTIONAL ± 1/32	CHECKER		
DECIMAL .XXX ± .010	MECH. ENGR.		
ANGULAR .XX ± .020	ELEC. ENGR.		
	PROJ. ENGR.		
MATERIAL SPEC:	CHIEF ENGR.		
FINISH SPEC:			

DO NOT SCALE

FLOOR OF ENCLOSURE



www.buildlog.net


ENCLOSURE_SKINS

SCALE


SHEET 1 OF 5

REVISION	
SYM	DESCRIPTION
4	SEE SHEET 1

F




FRONT LEFT




FRONT RIGHT

C




FRONT MIDDLE

A



FRONT SKINS	
	www.buildlog.net
ENCLOSURE TOP	
SCALE	SHEET 2 OF 5

REVISION	
SYM	DESCRIPTION
4	SEE SHEET 1



.234 x .375 SLOT HOLE PREFERRED
(.25 DIA. ALTERNATE METHOD)
8 PLACES

.234 x .375 SLOT HOLE PREFERRED
(.25 DIA. ALTERNATE METHOD)
15 PLACES


.234 x .50 SLOT HOLE PREFERRED
(.25 DIA. ALTERNATE METHOD)

Ø .203
12 PLACES

BACK LEFT

BACK RIGHT

BACK SKINS



www.buildlog.net

ENCLOSURE_SKINS

SCALE

SHEET 3 OF 5

REVISION	
SYM	DESCRIPTION
4	SEE SHEET 1

F



E

D

C

B

A



This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 3.0 License

<p>LEFT SIDE OF ENCLOSURE</p>	
	<p>www.buildlog.net</p>
<p>SCALE</p>	<p>ENCLOSURE_SKINS</p>
<p>SHEET 4 OF 5</p>	

1

2

3

4

5

6

7

8

REVISION	
SYM	DESCRIPTION
4	SEE SHEET 1

F

47.598

E



26.111


D

C

B

A



COVER SKIN	 www.buildlog.net
	ENCLOSURE SKINS
SCALE	SHEET 5 OF 5